

FARO 3D L S

3D



FARO Focus — FARO® Focus Premium

► SHIP FARO® Focus Premium



- ▶ 50% 折扣
- ▶ FARO PanoCam 360度全景扫描仪 1 台
- ▶ 品牌：
- ▶ Focus Premium 266 系列
- ▶ 2 台

2 台

品牌：

Focus Premium 系列 (1 台) 50% 折扣

品牌：



350m

Wi-Fi


Wi-Fi

StreamSphere

SSD

Performance Specifications

| Range Option | Focus Premium 350 | Focus Premium 150 | Focus Premium 70 |
|----------------------------------|------------------------------------------------------------------------------------------|----------------------------------------------------------------------------|----------------------------------------------------------------------------|
| Unambiguity Interval | 614 m for up to 0.5 MPts/sec 307 m at 1 MPts/sec 153 m at 2 MPts/sec | 614 m for up to 0.5 MPts/sec 307 m at 1 MPts/sec 153 m at 2 MPts/sec | 614 m for up to 0.5 MPts/sec 307 m at 1 MPts/sec 153 m at 2 MPts/sec |
| Range | | | |
| White, 90% Reflectivity | 0.5 - 350 m | 0.5 - 150 m | 0.5 - 70 m |
| Dark-grey, 10% Reflectivity | 0.5 - 150 m | 0.5 - 150 m | 0.5 - 70 m |
| Black, 2% Reflectivity | 0.5 - 50 m | 0.5 - 50 m | 0.5 - 50 m |
| Range Noise^{1,2} | | | |
| White, 90% Reflectivity | 0.1 mm @ 10 m, 0.2 mm @ 25 m | | |
| Dark-grey, 10% Reflectivity | 0.3 mm @ 10 m, 0.4 mm @ 25 m | | |
| Black, 2% Reflectivity | 0.7 mm @ 10 m, 1.2 mm @ 25 m | | |
| Max Speed | Up to 2 MPts/sec | | |
| 3D Accuracy ³ | 2 mm @ 10 m, 3.5 mm @ 25 m | | |
| Ranging Error ⁴ | ±1 mm | | |
| Angular Accuracy ⁵ | 19 arcsec | | |
| LaserHDR | Yes | | |
| Temperature Range ⁶ | Operating: +5 ° to +40 °C, Extended Operating: -20 ° to +55 °C, Storage: -10 ° to +60 °C | | |



Sphere 3D Sphere FARO WebShare

FARO Stream

FARO Stream FARO Sphere FARO Stream Focus Premium

Stream Sphere FARO

Focus Premium Stream Sphere 3D