

## Michael Sense Camera Rededge-P

▶ [RedEdge-P](#)  
RedEdge-P  
RedEdge-P  
RedEdge-P  
RedEdge-P


### ▶ [RedEdge-P](#)

- [RedEdge-P](#)
- [RedEdge-P](#)
- [RedEdge-P](#)
- [RedEdge-P](#)
- [RedEdge-P](#)

- [RedEdge-P](#)
- [RedEdge-P](#)
- [RedEdge-P](#)
- [RedEdge-P](#)

RedEdge-P

RedEdge-P 64 GB 2 2cm 60m 2 RedEdge-MX rededge



RedEdge-P cfexpress

RedEdge-P cfexpress 64 GB 2 1 24 RedEdge-P



cfexpress

RGB

Rededge


cfexpress 1 2 RGB

6 RGB Crocity Vitality Index

Rededge 2


RedEdge-P RGB - 60m 2 cm

IP4X



RedEdge-P

Previous



重量	350g [12.3oz] RedEdge-P DLS 2
尺寸	8.9 x 7.0 x 6.7cm 3.5 "x 2.8" x 2.6 "
电压	7.0V [25.2V]
功率	5.5/7.0/10W
分辨率	1456 x 1088 [MS] 1.6mp 2464 x 2056 [5.1mp]
接口	
制程	475 nm [32 nm] 560 nm [27 nm] 668 nm [14 nm] 717 nm [12 nm] 842nm [57nm]
RGB	5.1 MP *
GSD	120m [400] [AGL 1] [7.7 cm] [MS] 120m [400] [3.98 cm] [AGL]
固件	1 [3] [DNG]
接口	3 [GPIO] [PPS-IN] [PPS-Out] WiFi [USB 2.0] 10/100/1000 [CF]
FOV	50° HFOV X 38° VFOV [MS] 44° HFOV X 38° VFOV
固件	cfexpress