


PJLB-12 P R II - n - O M



Pjlb-12 [UAV](#) DJI M30 U V UAV [GL](#) [MP](#) [LRAD](#) 270 100 200 DJI 2 APP

---

---

---


---

---

---

---

OSDK M30



Specifications

|                   |   |
|-------------------|---|
| Model             | DJI OSDK  |
| Weight            | 270g (without lens)<br>283g (with lens)           |
| Dimensions        | 162×111×75mm                                      |
| Power             | 30W<br>40W<br>40W                                 |
| Power Consumption | 15W   |
| Voltage           | 24V   |
| Beam Spread       | 2000lm±3%   |
| Beam Angle        | 13°   |
| Beam Diameter     | 34m@150m<br>29.6m@130m<br>22.8m@100m<br>11.4m@50m |
| Beam Diameter     | 102@50m<br>407@100m<br>688@130m<br>917@150m       |
| Beam Diameter     | 20@50m<br>4.5@100m<br>2.5@130m<br>1.7@150m        |
| Beam Angle        | 120°@45°  |

|          |                      |
|----------|----------------------|
| □□□□     | 120dB                |
| □□□□□    | 200m@74db            |
|          | 350m@69db            |
| □□□□□    | □□□□□□□□□□□□         |
|          | □□□□□□□□             |
|          | □□□□□□□□             |
|          | TTS□□□□□             |
|          | □□□                  |
| □□□□□□□□ | mp3/wav/m4a/flac/aac |
| □□□□□□□□ | DJI Pilot2           |
| □□□□     | -15°C~40°C           |

□□□□□□□□□□□□□□

□□□□□□□□<https://pengjin.vip.yilumao.com/>

□□□:□□□

□□ : □□□□□□□□

□□□□□□:8615814632339 QQ:2850187683 □□□□□□: pjk@pjkc.cn.com

ADD:602□□□A□□□□□□□□Oumi□□□□Jihua Road□□Biji Town□□Longgang District□□Shenzhen