GO3-M30 **P** Hurry**-** Rod pipe endoscope

GO3-M30P Hurry -Rod pipe endoscope video cameras are suitable for research and detection of residential, small commercial areas, special factories, local government engineering pipelines.

Scope:

Drain pipes, water supply pipes, industrial pipes, gas pipes

Product overview

GO3-M30P Hurry -Rod pipe endoscope cameras are suitable for research and testing of residential, small commercial areas, special factories, local government civil engineering pipelines. This includes narrow, narrow curved pipes that are not accessible by other test equipment. Its operation is simple and powerful. It has a wide range of applications.

GO3-M30P Hurry- The rod pipeline endoscope camera consists of three parts: an integrated main controller and a flexible push.- Rod cable tray and high-precision durability camera. Use flexible pushes - Use a rod cable to push the front-end

camera into the pipeline to preview and record images within the pipeline to achieve detection objectives.

GO3-M30P Hurry- Rod-pipe endoscope cameras are used to perform rapid video surveys, acceptance, census and evaluations of drainage pipes or pipe networks, and are combined with "pipes." Site Pipeline Video Interpretation Report Software performs interpretation analysis of detection videos and generates detection reports and intuitive electronic maps that meet multiple evaluation criteria.

<div align="center">Product Features</div>

1. Suitable for thin, narrow, rotating pipes.

2. Positioning function: You can use the pipeline positioning device to locate the equipment.

<div align="center">Skill indicators</div>

1. Operating temperature: -10℃ to 50℃

2. Storage temperature: -20℃ to 60℃

3. Overall machine size: 785 * 340 * 895mm

4. Overall machine weight: about 10kg

5. Tube diameter: 25-200mm

6. Waterproof: IP68, 10m deep

7. Cable length: Standard 20m, Maximum 40m

8. Lens Protection: High quality scratch resistant sapphire glass lens, can prevent scratches, the shell is 304# stainless steel, prevents impact.

9. Provides two types of centers, automatically expanding to fit the pipe wall, ensuring that the lens is in the center

10. Languages: English, German, French, Spanish, Italian, Chinese, Japanese, Russian, Portuguese

11. Playback: Supports video and image playback.

If you are interested in this product, please feel free to contact us.