

Professional Tape Measuring

We have two case styles in our Pro Series of tape measures: a stainless steel or high-impact, high-visibility, Keson-Orange ABS. The entire family feature the stronger locks than our chrome and toggle series. They also offers our highest impact resistance and feature a slotted rubber grip for a comfortable and slip-resistant hold.

- Stainless components & blade extends tape life in wet environments.
- Nylon-coating extends life of the blade
- Stainless steel OR High-impact, high-visibility, Keson-Orange ABS case with rubber grip protects the blade and stands up to heavy use





A highly visible version of our Pro Tape is available.












The stainless steel housing offers our highest impact resistance and all Pro series feature a slotted rubber grip. The tape lock is stronger than our other offerings as well. The housing is larger than our Chrome and Autolock Series, but these tapes still fit into a tape holder.


FEATURES

- Nylon Coated Steel Blade
- Easy-to-Read Graduations
- True Zero Hook
- Positive Locking Button
- Bumper Cushion
- Heavy-Duty End Hook
- Belt Clip
- 3 Rivet Hook

| FEATURE | | DEFINED | |
|--------------------|--|---|--|
| Lock | | Slide | |
| Case & Components* | | Stainless or High-visibility orange ABS | |
| Blade | | Nylon-Coated Steel | |
| Impact Durability | | High-visibility rubber grip | |

| | MODEL | UPC (052837) | LENGTH | UNITS | WIDTH (IN) | STAND OUT (FT) | BLADE |
|---|-------------|--------------|--------|--------------------------|------------|----------------|-------|
|  | PGPRO1025V | 029297 | 25 ft | ft, 1/10, 1/100 | 1 | up to 8 | B2 |
|  | PGPRO10M25V | 029341 | 25 ft | ft, 1/10, 1/100, & cm,mm | 1 | up to 8 | B6 |

| | | | | | | |
|---|---------------------|----------|--|-----|---------|----|
|  | PGPRO181012V 029334 | 12 ft | ft, in, 1/10, 1/100 & ft, in, 1/8, 1/16 | 5/8 | up to 4 | A4 |
|  | PGPRO181025V 029310 | 25 ft | ft, in, 1/10, 1/100 & ft, in, 1/8, 1/16 | 1 | up to 8 | B4 |
|  | PGPRO181033V 029402 | 33 ft | ft, in, 1/10, 1/100 & ft, in, 1/8, 1/16 | 1 | up to 8 | B4 |
|  | PGPRO1810V 029327 | 10 ft | ft, in, 1/8, 1/16 (1/32 first 12") | 5/8 | up to 4 | A1 |
|  | PGPRO1812V 027873 | 12 ft | ft, in, 1/8, 1/16 (1/32 first 12") | 5/8 | up to 4 | A1 |
|  | PGPRO1816V 027880 | 16 ft | ft, in, 1/8, 1/16 (1/32 first 12") | 1 | up to 8 | B1 |
|  | PGPRO1825V 027897 | 25 ft | ft, in, 1/8, 1/16 (1/32 first 12") | 1 | up to 8 | B1 |
|  | PGPRO1830V 029426 | 30 ft | ft, in, 1/8, 1/16 (1/32 first 12") | 1 | up to 8 | B1 |
|  | PGPRO1835V 027903 | 35 ft | ft, in, 1/8, 1/16 (1/32 first 12") | 1 | up to 8 | B1 |
|  | PGPRO18M10V 029303 | 3m/10 ft | ft, in, 1/8, 1/16 & cm, mm | 5/8 | up to 5 | A5 |
|  | PGPRO18M16V 029358 | 5m/16 ft | ft, in, 1/8, 1/16 & cm, mm | 1 | up to 8 | B5 |

| | | | | | | | |
|---|-------------|--------|----------|--|------|---------|----|
|  | PGPRO18M25V | 029365 | 8m/26 ft | ft, in, 1/8, 1/16 & 1 cm, mm | 1 | up to 8 | B5 |
|  | PGPRO3MV | 029372 | 3m | m, cm, mm | 16mm | up to 8 | B3 |
|  | PGPRO5MV | 029389 | 5m | m, cm, mm | 25mm | up to 8 | B3 |
|  | PGPRO8MV | 029396 | 8m | m, cm, mm | 25mm | up to 8 | B3 |